Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	("5809293" "5680620").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:16
L2	1	secure NEAR1 stack NEAR1 check	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:17
L3	1	secur\$ NEAR1 stack NEAR1 check\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:18
L4	574	secur\$ SAME stack SAME check\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:18
L5	116	(secur\$ SAME stack SAME check\$4) and parallel same process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/10/11 09:19
L6	23	(secur\$ SAME stack SAME check\$4) and (parallel same process\$4) and (address same range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:19
S1	0	("5809293" "5680620").pn. and stack and over adj flow and (stor\$4 or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:15
S2		("5809293" "5680620").pn. and stack and (over adj flow)and (stor\$4 or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:25
S 3	0	("5809293" "5680620").pn. and stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:25

S4	0	("5809293" "5680620").pn. and stack\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 13:16
S5	63273	monitor\$4 and execution\$4 and program\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:28
S6	8428	monitor\$4 same execution\$4 same program\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:28
S7	192	(monitor\$4 same execution\$4 same program\$4) and (debug same logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:29
S8	5	(monitor\$4 same execution\$4 same program\$4) and (debug same logic) and micro adj controlle\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:37
S9	6	(monitor\$4 same execution\$4 same program\$4) and (debug\$4 same logic) and micro adj controlle\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:40
S10	43	717/127-129.ccls. and (monitor\$4 same execution\$4 same program\$4) and (debug\$4 same logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:42
S11	4	("5809293" "5680620").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 13:22
S12	4	("5809293" "5680620").pn. and monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2004/04/13 13:22
S13	1	("5809293" "5680620").pn. and monitor\$4 same executio\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 13:22

•		LAST Searc	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	/		
S14	. 1	("5809293" "5680620").pn. and monitor\$4 same executio\$4 same debug adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2004/04/13 13:23
S15	1	("5809293" "5680620").pn. and monitor\$4 same executio\$4 same debug adj logic and monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:44
S16	140993	(reset\$4 or start\$5 or initializ\$4) same (micro adj controll\$4 or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:29
S17	1845	(reset\$4 same start\$5 same initializ\$4) same (micro adj controll\$4 or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:29
S18	1	monitor\$4 same executio\$4 same debug adj logic and monitor\$4 and (initializ\$\$ near3 program\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:55
S19	1	monitor\$4 same executio\$4 same debug adj logic and monitor\$4 and (initializ\$4 near3 program\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:36
S20	1	monitor\$4 same executio\$4 same debug adj logic and monitor\$4 and (initializ\$4 same program\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:36
S21	84	(initializ\$4 same program\$4) same (micro adj control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:37
S22	8	((initializ\$4 same program\$4) and (reset\$5 same start\$4)) same (micro adj control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:38
S23	0	("5809293" "5680620" "5680620"). pn. and stor\$4 and fault	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:45

			_			
S24	0	("5809293" "5680620" "5680620" " 6282701").pn. and stor\$4 and fault	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:53
S25	114706	stor\$4 same fault\$4 same memory same adderess\$4 same reset or initialize\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:54
S26	114835	stor\$4 same fault\$4 same memory same address\$4 same reset or initialize\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 14:54
S27	114717 .	stor\$4 NEAR3 fault\$4 NEAR5 memory same address\$4 same reset or initialize\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:40
S28	1	fault\$4 near10 memory NEAR3 address\$4 same (reset or initialize\$4) same micro adj control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:40
S29	1	fault\$4 near5 memory NEAR3 address\$4 same (reset or initialize\$4) same micro adj control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 16:15
S30	1	(monitor\$ same program\$4 same execution\$4) near5 (debug with logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 16:16
S31	114	(monitor\$ same program\$4 same execution\$4) and (debug with logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 16:17
S32	1	(monitor\$ same program\$4 same execution\$4) and (debug with logic) near5 (micro adj control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 16:17
S33	3	(monitor\$ same program\$4 same execution\$4) and (debug with logic) and (micro adj control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 16:18

		·	·	<u> </u>		
S34	2987	stor\$4 NEAR1 fault\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:40
S35	490	stor\$4 NEAR1 fault\$4 and memory near2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:41
S36	347	stor\$4 NEAR1 fault\$4 and memory near1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:41
S37	77.	(stor\$4 NEAR1 fault\$4 and memory near1 address) and embedded	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:42
538	77	(stor\$4 NEAR1 fault\$4 and memory near1 address) and embedded and control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:42
S39	135	(monitor\$4 same execution\$4 same program\$4) and (stor\$4 near3 fault)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:57
S40	51	(monitor\$4 same execution\$4 near2 program\$4) and (stor\$4 near3 fault)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 17:57
S41	10	(monitor\$4 near2 execution\$4 near2 program\$4) and (stor\$4 near3 fault)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/14 12:33
S42	899	execut\$5 near5 (swap\$4 or mov\$4 same code same flash same RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/14 12:34
S43	15	execut\$5 near5 (swap\$4 or mov\$4 same code same flash same RAM) and (micro adj controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/14 12:35

S49	75	illegal same access same storage	US-PGPUB;	OR	ON	2004/11/15 15:13
		same area	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S50	0	717/124.ccls. and (illegal same access same storage same area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:14
S51	28	(illegal near access) same storage same area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:35
S52	8	(illegal near access) same (address near range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:35
S53	805	debug same log\$4 and excep\$4 and address and range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 08:56
S54	805	(debug same log\$4) and excep\$4 and address and range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 08:57
S55	546	(debug same logic\$4) and excep\$4 and address and range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 08:57
S56	145	(debug same logic\$4) and excep\$4 and address and range and illegal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 08:57

S57	8	(debug same logic\$4) and excep\$4 and (illegal same (address and range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:39
S59	1	"717"/\$.ccls. and (monitor\$4 same execution\$4 same program\$4) and (debug\$4 same logic) and micro adj controlle\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 11:06
S60	6	(access near illegal near stor\$4) same area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:41
S61	1	(access same addres\$4 same range) and (access near illegal near stor\$4) same area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:18
S62	1	717/127-129.ccls. and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:42
S63		"717"/\$.ccls. and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:42
S64	24	debug same logic same register\$4 same parallel same execut\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:28
S65	0	debug same logic same register\$4 same parallel same execut\$4 same stack same range same break same point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:20

S66	0.	(debug same logic same register\$4 same parallel same execut\$4) and (stack same range same break same point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:20
S67	0	(debug same logic same register\$4 same parallel same execut\$4) and (range same break same point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:20
S68	36	debug same logic same parallel same execut\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:28
S69	5	debug same logic same parallel same execut\$4 and (address same range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:38
S70	0	717/124.ccls. and (debug same logic same address same range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:39
S71	61	717/124.ccls. and (address same range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:39
S72	37	717/124.ccls. and (address same range) and debug	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 10:39

\$73	4	717/124.ccls. and (address same range) and debug and (break same point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 15:28
S74		(debug same logic\$4) and excep\$4 and (illegal same (address and range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/02 11:13
S75	72103	execut\$4 same parallel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 11:46
S76	58	execut\$4 same parallel\$4 same debug\$4 same logic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 11:47
S77	12	execut\$4 same parallel\$4 same debug\$4 same logic and (break same point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 11:47
S78	18	secure\$4 same stack same check\$4 same program\$4 same execut\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 15:29
S79	6	secure\$4 same stack same check\$4 same program\$4 same execut\$4 and (address same range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 15:31

S80	255	(secure\$4 NEAR stack\$4NEAR check\$4 NEAR program\$4) same execut\$4 and (address same range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 15:32
S81	42	(secure\$4 NEAR stack\$4NEAR check\$4 NEAR program\$4) NEAR execut\$4 and (address same range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 15:32
S82	33	(US-20040061147-\$ or US-20030033592-\$).did. or (US-6502209-\$ or US-5657442-\$ or US-6131154-\$ or US-6658578-\$ or US-6141791-\$ or US-5450586-\$ or US-6154856-\$ or US-5522076-\$ or US-6634020-\$ or US-6463553-\$ or US-6282701-\$ or US-6560722-\$ or US-6145123-\$ or US-658653-\$ or US-5770836-\$ or US-6667917-\$ or US-6397349-\$ or US-6667917-\$ or US-6397349-\$ or US-6697972-\$ or US-4701854-\$ or US-6697972-\$ or US-5805800-\$). did. or (US-6219702-\$ or US-4493027-\$ or US-4525780-\$). did. or (JP-10078919-\$ or JP-05173890-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2006/10/06 15:46
S83	0	"l33" and (debug same logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:47
S84	0	"L33" and (debug same logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:47

S85	114	"L1" and (debug same logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:47
S86	67	"L1" and (debug same logic) and parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:47
S87	96	"L1" and (debug same logic) and (parallel same program execut\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:48
S88	0	"L1" and (debug same logic) and (parallel same program execut\$4) and (address\$4 same range same break same point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/06 15:49
S89	32	"L1" and (debug same logic) and (parallel same program execut\$4) and (address\$4 same range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:49
S90	2	"L1" and (debug same logic) and (parallel same program execut\$4) and (address\$4 same range) and (break same point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:49